



HYSUCAT 35 Alu

Main Specifications

Beam Amidships: **3.12 m**
 Center Line Length: **10.1 m**
 Bridge Clearance: **3.20 m**
 Cockpit Depth: **0.70 m**
 Hull Draft: **0.40 m**
 Minimum HP: **2 x 200 Hp**
 Maximum HP: **2 x 420 Hp**
 Fuel Capacity - Standard: **900 l**
 Weight w/out Engines: **4,200 kg**

Standard Features

Safety

3 automatic bilge pumps - total 3,000 GPH (22,800 LPH)
 Basic flotation
 Bow grab rails - 316 stainless steel
 Cockpit toe rails - 316 stainless steel
 Aluminum stringer system & transom - water impervious
 Cabin grab rails
 Fire extinguisher holder
 Nonskid paint
 Self-bailing cockpit w/high-volume scupper system
 Stainless steel through-hull fittings

Cockpit & Deck

Aluminum hull & deck
 Anchor windlass w/remote switches at helm
 Batteries (6)
 Battery chargers (2)
 Battery select switches
 Cleats - flush mount
 Cockpit bolsters
 Cockpit freshwater shower (recessed) – aft cockpit shower w/20' Glendinning retractable hose water mixer
 Cockpit lights - blue LED

Cockpit central door
 Deck hardware - 316-grade stainless steel through-bolted
 Dockside power w/galvanic isolator & 35' Glendinning retractable shore power cord
 Drink holders - stainless steel (6)
 Factory engine pre-rigging
 Fender cleats
 Forward bolsters
 Generator – 4 kW diesel, (60 l) fuel capacity
 Lighting - international LED
 Lighting - underwater blue LED (4)
 Rubrail - high density PVC w/stainless steel insert
 Reclining seats w/cushions - port & starboard
 Stern eyes - heavy-duty 316 stainless steel
 Storage - forward anchor locker w/rode storage
 Washdown - pressurized raw water
 Water heater - 30 l
 Water reservoir - raw water sea chest
 Water tank - 120l freshwater
 Accessory outlet - 230V duplex
 Accessory outlet - 12V
 Accessory outlet - 5V duplex USB port

Saloon (with Galley area) & Pilot station

Accessory outlet - 230V duplex (2)
 Accessory outlet - 5V duplex USB port (2)
 Air conditioning – 5,000 BTU
 Drink holders - stainless steel
 Galley – starboard side galley w/Corian® countertop, stainless steel microwave drawer & stainless-steel drawers and sink
 L- shape settee with storage beneath on portside
 Helm chair and helm station
 Table - solid sapele dinette table w/teak and brushed aluminum inlays & electromechanically adjustable stainless-steel base (seats 4)
 Lighting - dimmable indirect lighting throughout
 Refrigerator - stainless steel drawer refrigerator
 Head - enclosed ventilated head area w/lighting, sink, Corian® countertop, shower w/teak grate, mirror, storage cabinet, VacuFlush® marine head w/freshwater supply, overboard discharge & deck pump out
 Stereo - Deluxe stereo system w/AM/FM tuner, MP3 auxiliary audio connections/amplifier, Bluetooth®, remote unit & fold down storage; speakers (2) & subwoofer
 Storage - under berth compartments (3)
 Windows - port and starboard tinted frameless glass windows w/blinds

TV - cable ready 32" LED TV w/DVD player
& audio/visual inputs

Cabin Interior

Accessory outlet - 110V duplex (2)
Accessory outlet - 5V duplex USB port
Air conditioning - 6,000 BTU
Queen bed with storage beneath
Lighting - dimmable indirect lighting
throughout

Options

CE certification package (European
Conformity)
Hull
International AC electrical conversion - 220V
(50Hz)
Outrigger kit - fiber outriggers w/polished
stainless steel base
Rod storage - removable cockpit storage

station w/rod holders

Canvas Options

Easy up bow and stern shade



